

Drill Hole	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Intersection (m)	Gold (g/t)			
DDA-079	-60	120	165.0	0.0	13.0	13.0	1.0			
				16.0	20.0	4.0	1.1			
				26.0	28.0	2.0	1.0			
				39.0	48.0	9.0	0.9			
				52.0	59.0	7.0	1.1			
DDA-080	-60	30	60.0	NO SIGNIFICANT INTERSECTIONS >1G/T						
DDA-081	-60	140	100.4	13.0	16.0	3.0	1.3			
DDA-082	-60	120	50.0	NO SIGNIFICANT INTERSECTIONS >1G/T						
DDA-083	-60	120	40.0	NO SIGNIFICANT INTERSECTIONS >1G/T						
DDA-084	-60	320	112.9	NO SIGNIFICANT INTERSECTIONS >1G/T						
DDA-085	-60	120	80.0	0.0	42.0	42.0	0.3			
DDA-086	-60	110	269.6	48.0	56.0	8.0	1.4			
DDA-087	-60	120	122.0	31.0	103.0	72.0	0.8			
				Including			33.0	45.0	12.0	1.0
				Including Sulphide			64.0	87.0	23.0	1.0
				Including Sulphide			87.0	99.0	12.0	0.8
DDA-088	-60	120	52.0	BOGGED AND LOST						
DDA-089	-60	120	91.0	NO SIGNIFICANT INTERSECTIONS >1G/T						
DDA-090	-60	110	175.9	NO SIGNIFICANT INTERSECTIONS >1G/T						
DDA-091	-60	315	104.0	NO SIGNIFICANT INTERSECTIONS >1G/T						
DDA-092	-60	120	192.0	NO SIGNIFICANT INTERSECTIONS >1G/T						
DDA-093	-70	120	227.0	57.0	60.0	3.0	1.1			
				70.0	73.0	3.0	1.0			
DDA-094	-60	210	182.6	158.0	160.0	2.0	1.4			
				164.0	168.0	4.0	1.0			
DDA-095	-60	120	217.1	24.0	26.0	2.0	1.1			
				32.0	34.0	2.0	0.9			
				90.0	92.0	2.0	1.0			
DDA-096	-60	120	206.9	0.0	69.0	69.0	1.0			
				79.0	84.0	5.0	0.9			
				122.0	127.0	5.0	1.2			
				137.0	140.0	3.0	1.1			
DDA-097	-60	110	80.0	NO SIGNIFICANT INTERSECTIONS >1G/T						
DDA-098	-60	70	148.0	11.0	14.0	3.0	1.0			
				137.0	148.0 (EOH)	11.0	1.2			
DDA-099	-60	70	74.0	NO SIGNIFICANT INTERSECTIONS >1G/T						
DDA-100	-60	70	158.9	125.0	132.0	7.0	1.0			
DDA-101	-60	280	47.0	23.0	24.0	1.0	2.1			
DDA-102	-60	280	50.5	NO SIGNIFICANT INTERSECTIONS >1G/T						
DDA-103	-60	110	96.2	7.0	10.0	3.0	1.1			
				46.0	48.0	2.0	1.1			
				50.0	52.0	2.0	1.1			
				57.0	64.0	7.0	1.0			
				70.0	83.0	13.0	1.0			
DDA-104	-60	110	81.0	14.0	16.0	2.0	1.0			
				57.0	76.0	19.0	0.9			

DDA-105	-50	120	202.2	12.0	78.0	66.0	1.0
				89.0	111.0	22.0	1.0
				141.0	147.0	6.0	1.3
				156.0	180.0	24.0	1.0
DDA-106	-60	30	199.5	11.0	14.0	3.0	1.0
				41.0	43.0	2.0	1.1
				63.0	65.0	2.0	1.0
				69.0	72.0	3.0	1.0
DDA-107	-60	110	66.4	NO SIGNIFICANT INTERSECTIONS >1G/T			
DDA-108	-60	70	57.5	0.0	18.0	18.0	1.0
DDA-109	40	-60	189.9	0.0	101.0	101.0	2.2
DDA-110	-60	245	57.2	1.0	3.0	2.0	1.6
DDA-111	-60	250	150.1	55.0	124.0	69.0	3.8
				<i>Including</i>		68.0	100.0
DDA-112	-60	290	60.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
DDA-113	-60	290	25.5	NO SIGNIFICANT INTERSECTIONS >1G/T			
DDA-114	-60	290	31.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
DDA-115	-60	115	180.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
DDA-116	-60	120	125.2	1.0	120.0	119.0	1.3
DDA-117	-60	100	80.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
DDA-118	-60	65	159.0	116.0	118.0	2.0	2.0
				128.0	132.0	4.0	1.0
DDA-119	-60	20	137.0	92.0	136.0	44.0	3.3
DDA-120	-60	35	91.7	NO SIGNIFICANT INTERSECTIONS >1G/T			
DDA-121	-60	160	76.0	59.0	61.0	2.0	1.0
DDA-122	-60	80	147.5	NO SIGNIFICANT INTERSECTIONS >1G/T			
DDA-123	-60	210	104.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
DDA-124	-60	215	64.7	37.0	45.0	8.0	1.0
DDA-125	-60	210	85.4	NO SIGNIFICANT INTERSECTIONS >1G/T			
DDA-126	-60	300	188.0	33.0	37.0	4.0	1.5
				82.0	85.0	3.0	1.5
				100.0	113.0	13.0	1.6
DDA-127	-60	35	89.5	12.0	14.0	2.0	1.0
DDA-128	-60	120	140.7	NO SIGNIFICANT INTERSECTIONS >1G/T			
DDA-129	-60	35	73.0	22.0	24.0	2.0	1.0
DDA-130	PQ CORE FOR METALLURGY						
DDA-131	-60	300	64.4	NO SIGNIFICANT INTERSECTIONS >1G/T			
DDA-132	30	-60	88.5	NO SIGNIFICANT INTERSECTIONS GREATER THAN 1G/T			
DDA-133	-60	30	85.2	NO SIGNIFICANT INTERSECTIONS >1G/T			
DDA-134	35	-60	170.0	22.0	55.0	33.0	1.0
DDA-135	120	-60	152.7	0.0	8.0	8.0	1.0
				48.0	66.0	18.0	1.0
DDA-136	210	-60	95.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
DDAM-137	PQ CORE FOR METALLURGY						
DDA-138	40	-60	85.0	4.0	7.0	3.0	1.0
DDA-139	120	-60	174.4	0.0	2.0	2.0	5.8
				21.0	25.0	4.0	1.0
				87.0	92.0	5.0	1.0
				97.0	107.0	10.0	1.0
				128.0	130.0	2.0	1.0

DDAM-140	PQ CORE FOR METALLURGY						
DDA-141	-60	130	61.0	BOGGED AND LOST (TO BE REDRILLED)			
DDA-142	-60	260	100.9	20.0	23.0	3.0	1.0
				51.0	53.0	2.0	1.4
				89.0	92.0	3.0	1.0
DDA-143	-60	260	64.4	BOGGED AND LOST (TO BE REDRILLED)			
DDA-144	-60	30	57.1	BOGGED AND LOST (TO BE REDRILLED)			
DDA-145	-60	70	73	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-146	-60	10	101.0	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-147	-60	250	112.7	0.0	20.0	20.0	1.9
				48.0	111.0	63.0	2.0
DDA-148	PQ CORE FOR METALLURGY						
DDA-149	-50	50	108.2	90.0	104.0	14.0	1.1
DDA-150	-60	120	100	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-151	-60	210	136.5	89.0	92.0	1.0	1.1
DDA-152	-60	210	225.3	78.0	86.0	8.0	1.0
				134.0	137.0	3.0	1.7
				208.0	218.0	10.0	1.0
DDA-153	-60	105	94	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDAG-154	-60	310	43.7	14.0	18.0	4.0	1.0
DDAG-154A	-70	310	36.4	8.0	16.0	8.0	1.0
				25.0	28.0	3.0	1.1
DDAG-154B	GEOTECH HOLE						
DDA-155	-60	130	72.6	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-156	-60	125	209.5	48.0	61.0	13.0	1.1
				70.0	80.0	10.0	1.0
				87.0	96.0	9.0	1.2
				110.0	156.0	46.0	1.0
				185.0	187.0	2.0	1.1
DDA-157	-60	230	123	36.0	39.0	3.0	1.1
				53.0	64.0	11.0	0.9
DDA-158	-60	305	71	54.0	64.0	10.0	1.0
DDA-159	-60	130	190.8	121.0	132.0	11.0	1.1
				138.0	149.0	11.0	1.0
DDA-160	-60	125	110.3	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-161	-60	125	201.5	83.0	163.0	80.0	1.0
DDA-162	-70	230	191.6	GEOTECHNICAL DRILL HOLE			
DDA-163	-60	90	98	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-164	-60	120	99.7	74.0	78.0	4.0	1.1
DDA-165	-60	110	110.4	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-166	-65	245	105	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-167	-60	125	161.6	6.0	25.0	19.0	1.0
				41.0	43.0	2.0	1.2
				96.0	105.0	9.0	1.4
DDA-168	-60	190	120	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-169	PQ CORE FOR METALLURGY						
DDA-170	-70	125	164.5	GEOTECHNICAL DRILL HOLE			
DDA-171	-60	305	56.5	44.0	54.0	10.0	1.0
DDA-172	-60	305	86.4	GEOTECHNICAL DRILL HOLE			
DDA-173	-60	300	193.2	49.0	54.0	5.0	1.0
				66.0	68.0	2.0	1.1
				83.0	96.0	13.0	1.0
				125.0	134.0	9.0	1.4
				149.0	168.0	19.0	1.5

DDA-174	PQ CORE FOR METALLURGY						
DDA-175	80	-70	151.2	23.0	39.0	16.0	1.1
				68.0	70.0	2.0	1.5
DDA-176	-60	300	52.8	GEOTECHNICAL DRILL HOLE			
DDA-177	-60	120	149.8	123.0	133.0	10.0	1.0
DDA-178	-60	205	140.9	22.0	26.0	4.0	1.0
				45.0	124.0	79.0	1.0
DDA-179	-60	250	88	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-180	-60	115	91	6.0	15.0	9.0	1.0
				29.0	44.0	15.0	1.0
DDA-181	-60	240	172.5	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-182	-60	225	80	3.0	47.0	44.0	1.0
DDA-183	-60	215	101	0.0	3.0	3.0	1.0
				10.0	25.0	15.0	1.0
				38.0	40.0	2.0	1.6
DDA-184	-60	210	94.1	1.0	4.0	3.0	1.1
				34.0	38.0	4.0	1.1
				85.0	87.0	2.0	1.0
DDA-185	-60	120	160	30.0	34.0	4.0	1.0
DDA-186	-60	160	150	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-187	-60	215	90	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-188	-60	120	120	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDAGLP-189	GEOTECH HOLE						
DDAGLP-190	GEOTECH HOLE						
DDAGLP-191	GEOTECH HOLE						
DDA-192	-70	300	136.4	2.0	22.0	20.0	1.0
				36.0	45.0	9.0	0.9
				100.0	106.0	6.0	1.0
				125.0	136.4 (EOH)	11.4	1.0
DDA-193	-70	210	132.9	64.0	76.0	12.0	3.5
DDA-194	-60	42	152	73.0	139.0	66.0	1.0
DDA-195	-60	302	116.4	50.0	52.0	2.0	1.2
				109.0	111.0	2.0	1.9
DDA-196	-60	310	85.3	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDAGLP-197	GEOTECH HOLE						
DDAGLP-197A	GEOTECH HOLE						
DDAGLP-198	GEOTECH HOLE						
DDAGLP-199	GEOTECH HOLE						
DDA-200	-60	304	399.6	105.0	107.0	2.0	1.0
				144.0	193.0	49.0	1.2
DDAGLP-201	GEOTECH HOLE						
DDAGLP-202	GEOTECH HOLE						
DDAGLP-203	GEOTECH HOLE						
DDAGLP-204	GEOTECH HOLE						
DDAGLP-205	GEOTECH HOLE						
DDAGLP-206	GEOTECH HOLE						
DDAGLP-207	GEOTECH HOLE						
DDAGLP-208	GEOTECH HOLE						
DDAGLP-209	GEOTECH HOLE						
DDAGLP-210	GEOTECH HOLE						
DDA-211	-60	123.5	270.9	216.0	225.0	9.0	1.0
DDAGLP-212	GEOTECH HOLE						
DDAGLP-213	GEOTECH HOLE						

DDAGLP-214				GEOTECH HOLE			
DDAGLP-215				GEOTECH HOLE			
DDAGLP-216				GEOTECH HOLE			
DDAGLP-217				GEOTECH HOLE			
DDAGLP-218				GEOTECH HOLE			
DDAGLP-219				GEOTECH HOLE			
DDA-220	-60	110	72	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDAGLP-221				GEOTECH HOLE			
DDAGLP-222				GEOTECH HOLE			
DDA-223	-60	122.7	146	30.0	32.0	2.0	1.0
				47.0	146 (EOH)	99.0	4.0
DDA-224	-60	30	13	BOGGED AND ABANDONED			
DDAGLP-225				GEOTECH HOLE			
DDAGLP-226				GEOTECH HOLE			
DDAGLP-227				GEOTECH HOLE			
DDAGLP-228				GEOTECH HOLE			
DDAGLP-229				GEOTECH HOLE			
DDAGLP-230				GEOTECH HOLE			
DDAGLP-231				GEOTECH HOLE			
DDAGLP-232				GEOTECH HOLE			
DDAGLP-233				GEOTECH HOLE			
DDAGLP-234				GEOTECH HOLE			
DDAGLP-235				GEOTECH HOLE			
DDAGLP-236				GEOTECH HOLE			
DDAGLP-236A				GEOTECH HOLE			
DDAGLP-237				GEOTECH HOLE			
DDA-238	-60	110	81.5	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-239	-60	110	100	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDAGLP-240				GEOTECH HOLE			
DDAGLP-241				GEOTECH HOLE			
DDAGLP-242				GEOTECH HOLE			
DDAGLP-243				GEOTECH HOLE			
DDAGLP-244				GEOTECH HOLE			
DDAGLP-245				GEOTECH HOLE			
DDA-246	-60	120	220.6	48.0	50.0	2.0	1.1
				149.0	151.0	2.0	1.6
DDAGLP-247				GEOTECH HOLE			
DDAGLP-248				GEOTECH HOLE			
DDAGLP-249				GEOTECH HOLE			
DDAGLP-250				GEOTECH HOLE			
DDAG-251				GEOTECH HOLE			
DDA-252	-60	120	73.5	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDA-253	-60	121.5	112.4	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
DDAGLP-254				GEOTECH HOLE			
DDAGLP-255				GEOTECH HOLE			
DDAGLP-256				GEOTECH HOLE			
DDAGLP-257				GEOTECH HOLE			
DDAGLP-258				GEOTECH HOLE			
DDAGLP-259				GEOTECH HOLE			
DDAGLP-260				GEOTECH HOLE			
DDAGLP-261				GEOTECH HOLE			
DDAGLP-262				GEOTECH HOLE			
DDAGLP-263				GEOTECH HOLE			
DDAGLP-264				GEOTECH HOLE			
DDA-265	-60	128	85.8	0.0	39.0	39.0	1.0
				55.0	59.0	4.0	1.0

RCA-304	-60	120	110.0	67.0	69.0	2.0	1.0
RCA-305	-60	120	167.0	56.0	62.0	6.0	0.9
RCA-306	-60	300	160.0	2.0	5.0	3.0	1.0
				75.0	130.0	55.0	1.1
				152.0	156.0	4.0	0.9
RCA-307	-60	120	200.0	64.0	77.0	13.0	1.1
				113.0	116.0	3.0	1.0
				127.0	139.0	12.0	1.0
				159.0	182.0	23.0	1.2
RCA-308	-60	120	185.0	8.0	10.0	2.0	1.0
				17.0	20.0	3.0	1.0
				94.0	96.0	2.0	1.0
				130.0	140.0	10.0	1.0
				130.0	185 (EOH)	55.0	1.6
Including				157.0	185 (EOH)	28.0	2.7
RCA 309	-60	120	140.0	22.0	28.0	6.0	1.0
RCA 310	-60	120	153.0	129.0	135.0	6.0	0.9
RCA 311	-60	300	65.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
RCA 312	-60	120	125.0	2.0	13.0	11.0	1.0
				26.0	46.0	20.0	1.1
RCA 313	-60	110	110.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
RCA 314	-60	120	149.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
RCA 315	-60	120	150.0	22.0	32.0	10.0	0.9
				42.0	48.0	6.0	1.1
				58.0	61.0	3.0	1.1
				79.0	85.0	6.0	1.0
				107.0	109.0	2.0	1.8
				140.0	144.0	4.0	1.1
RCA-316	-60	30	126.0	71.0	126.0 (EOH)	55.0	1.0
RCA-317	-60	30	140.0	99.0	140.0 (EOH)	41.0	0.9
RCA-318	-60	30	167.0	102.0	146.0	44.0	1.0
RCA-319	-60	30	160.0	87	116	29	0.9
				148	152	4	1.0
RCA-320	-60	120	160.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
RCA-321	-60	30	139.0	93.0	117.0	24.0	1.0
RCA-322	-60	210	180.0	119.0	126.0	7.0	1.0
RCA-323		120	95.0	3.0	5.0	2.0	1.1
				10.0	12.0	2.0	1.2
				38.0	42.0	4.0	1.1
				52.0	55.0	3.0	1.0
RCA-324		300	83.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
RCA-325		300	23.0	BOGGED AND LOST			
RCA-326		120	120.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
RCA-327		300	170.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
RCA-328		110	175.0	129.0	152.0	23.0	1.1
RCA-329		110	125.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
RCA-330		110	239.0	12.0	15.0	3.0	1.0
				70.0	76.0	6.0	1.0
				137.0	144.0	7.0	1.0
				172.0	239.0 (EOH)	67.0	1.0
				Including			

RCA-331		110	239.0	0.0	17.0	17.0	1.0
				25.0	26.0	1.0	3.6
				57.0	59.0	2.0	1.0
				84.0	86.0	2.0	1.2
RCA-332		110	203.0	102.0	129.0	27.0	1.0
RCA-333		120	227.0	58.0	60.0	2.0	1.9
				149.0	156.0	7.0	0.9
RCA-334		300	119.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
RCA-335		300	239.0	62.0	65.0	3.0	1.0
				92.0	101.0	9.0	1.0
				115.0	117.0	2.0	1.0
				197.0	200.0	3.0	1.0
RCA-336		120	155.0	84.0	103.0	19.0	1.2
RCA-337		120	107.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
RCA-338		120	117.0	24.0	26.0	2.0	1.1
				46.0	54.0	8.0	0.9
				92.0	103.0	11.0	1.0
RCA-339	-60	120	147.0	106.0	135.0	29.0	1.6
RCA-340	-60	120	153.0	117.0	119.0	2.0	1.2
RCA-341	-60	120	191.0	90.0	116.0	26.0	1.0
				125.0	131.0	6.0	1.4
RCA-342	-60	120	197.0	139.0	192.0	53.0	1.0
RCA-343	-60	120	131.0	75.0	108.0	33.0	1.0
RCA-344	-60	120	113.0	13.0	20.0	7.0	1.0
				79.0	81.0	2.0	1.0
				102.0	112.0	10.0	1.0
RCA-345	-60	120	151.0	14.0	21.0	7.0	1.0
				129.0	141.0	12.0	1.0
RCA-346	-60	120	125.0	1.0	16.0	15.0	1.0
				101.0	109.0	8.0	1.0
RCA-347	-60	50	167.0	1.0	21.0	20.0	1.1
				141.0	144.0	3.0	1.1
				153.0	157.0	4.0	1.6
RCA-348	-60	50	215.0	5.0	8.0	3.0	1.0
				10.0	15.0	5.0	1.0
				22.0	132.0	110.0	1.0
				159.0	163.0	4.0	1.1
				193	214	21	2.9
RCA-349	-60	40	191.0	39.0	45.0	6.0	0.9
				56.0	58.0	2.0	1.2
				82.0	103.0	21.0	10.7
RCA-350	-60	50	143.0	11.0	17.0	6.0	1.0
				37.0	52.0	15.0	1.0
				59.0	63.0	4.0	1.1
				68.0	70.0	2.0	1.1
				73.0	83.0	10.0	1.0
				96.0	98.0	2.0	1.0
				112.0	114.0	2.0	1.2

RCA-351	-60	35	161.0	12.0	59.0	47.0	1.2
				93.0	95.0	2.0	1.1
				101.0	109.0	8.0	1.0
				141.0	146.0	5.0	1.3
				137.0	161 (EOH)	24.0	1.0
RCA-352	-60	50	185.0	1.0	4.0	3.0	1.1
				30.0	40.0	10.0	1.0
				56.0	64.0	8.0	1.0
				120.0	140.0	20.0	1.0
				156.0	158.0	2.0	1.5
RCA-353	-60	45	179.0	0.0	73.0	72.0	1.0
				110.0	112.0	2.0	1.3
				99.0	168.0	68.0	1.2
RCA-354	-60	45	193.0	5.0	9.0	4.0	1.1
				12.0	14.0	2.0	1.0
				20.0	22.0	2.0	1.0
				28.0	30.0	2.0	1.1
				117.0	119.0	2.0	1.2
				135.0	138.0	3.0	1.1
				161.0	163.0	2.0	1.0
RCA-355	-60	50	191.0	31.0	34.0	3.0	1.0
RCA-356	-60	310	184.0	2.0	22.0	20.0	2.0
RCA-357	-60	315	119.0	77.0	87.0	10.0	1.0
RCA-358	-60	100	131.0	37.0	106.0	68.0	1.0
RCA-359	-60	310	113.0	26.0	48.0	22.0	2.2
RCA-360	-60	30	189.0	32.0	52.0	20.0	1.0
				88.0	104.0	16.0	1.2
				118.0	120.0	2.0	1.0
				132.0	137.0	5.0	2.0
				176.0	189(EOH)	13.0	1.0
RCA-361	-60	50	149.0	36.0	73.0	37.0	1.0
				109.0	117.0	8.0	1.0
				133.0	135.0	2.0	1.2
RCA-362	-60	110	160.0	56.0	70.0	14.0	1.5
				79.0	84.0	5.0	1.8
RCA-363	-60	115	131.0	25.0	30.0	5.0	1.3
RCA-364	-60	110	170.0	5.0	7.0	2.0	1.0
				26.0	34.0	8.0	1.1
				82.0	84.0	2.0	1.3
RCA-365	-60	115	119.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
RCA-366	-60	100	166.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
RCA-367	-60	110	143.0	21.0	28.0	7.0	1.1
				53.0	57.0	4.0	1.2
RCA-368	-60	105	184.0	13.0	19.0	6.0	1.2
				62.0	68.0	6.0	1.1
RCA-369	-60	120	185.0	0.0	98.0	98.0	1.5
RCA-370	-60	125	107.0	4.0	6.0	2.0	1.0
RCA-371	-60	190	113.0	58.0	77.0	19.0	1.0
RCA-372	-60	30	160.0	31.0	74.0	43.0	0.9
RCA-373	-60	120	144.0	109.0	136.0	27.0	1.4
RCA-374	-60	115	149.0	NO SIGNIFICANT INTERSECTIONS >1G/T			
RCA-375	-60	155	167.0	NO SIGNIFICANT INTERSECTIONS >1G/T			

RCA-376	-60	115	113.0	58.0	64.0	6.0	1.0
				112.0	113 (EOH)	1.0	1.5
RCA-377	-60	120	191.0	22.0	30.0	8.0	1.5
				91.0	94.0	3.0	1.0
				112.0	116.0	4.0	1.0
				119.0	121.0	2.0	1.0
				140.0	147.0	7.0	1.0
				157.0	160.0	3.0	1.0
RCA-378	-60	130	197.0	0.0	28.0	28.0	1.0
				46.0	68.0	22.0	1.0
				149.0	176.0	27.0	1.0
RCA-379	-60	265	137.0	2.0	9.0	7.0	1.1
				19.0	23.0	4.0	1.0
				99.0	109.0	10.0	1.1
RCA-380	-60	335	183.0	90.0	112.0	22.0	1.2
				143.0	152.0	9.0	1.0
				162.0	164.0	2.0	1.0
RCA-381	-60	120	191.0	45.0	52.0	7.0	1.0
				55.0	60.0	5.0	1.0
				124.0	130.0	6.0	1.0
				136.0	138.0	2.0	1.1
RCA-382	-60	30	182.0	48.0	76.0	28.0	1.0
				83.0	96.0	13.0	1.1
				120.0	122.0	2.0	1.1
RCA-383	-60	40	155.0	122.0	125.0	3.0	1.4
RCA-384	-60	130	215.0	7.0	9.0	2.0	1.0
				65.0	67.0	2.0	1.1
				93.0	110.0	17.0	1.3
				133.0	136.0	3.0	1.1
				165.0	207.0	42.0	1.0
RCA-385	-60	30	137.0	48.0	54.0	6.0	1.0
RCA-386	-60	305	179.0	28.0	39.0	11.0	1.0
				120.0	145.0	25.0	1.1
RCA-387	-60	120	11.0	BOGGED AND LOST			
RCA-388	-60	115	220.0	23.0	179.0	156.0	1.7
				205.0	207.0	2.0	1.0
RCA-389	-50	30	137.0	2	56	54	1.1
				88.0	90.0	2.0	1.1
RCA-390	-60	120	143.0	5.0	58.0	53.0	1.3
				85.0	89.0	4.0	1.3
				104.0	112.0	8.0	1.0
				127.0	129.0	2.0	1.9
RCA-391	-60	30	100.0	71.0	73.0	2.0	1.0
				84.0	90.0	6.0	1.0
RCA-392	-60	25	149.0	52.0	77.0	25.0	1.0
				131.0	133.0	2.0	1.1
RCA-393	-60	30	53.0	13.0	18.0	5.0	1.0
				40.0	52.0	12.0	1.0
				BOGGED AND LOST			

RCA-394	-60	300	179.0	76.0	89.0	13.0	1.0
				104.0	107.0	3.0	1.0
				142.0	167.0	25.0	1.0
RCA-395	-60	300	161.0	2.0	23.0	21.0	1.0
				75.0	161 (EOH)	86.0	1.0
RCA-396	-60	30	149.0	10.0	149(EOH)	139.0	1.0
RCA-397	-60	25	131.0	105.0	111.0	6.0	1.0
RCA-398	-60	25	185.0	19.0	21.0	2.0	1.0
				26.0	28.0	2.0	1.0
				71.0	77.0	6.0	0.9
				161.0	163.0	2.0	1.4
RCAW-399	WATER HOLE						
RCAW-400	WATER HOLE						
RCAW-401	WATER HOLE						
RCAW-402	WATER HOLE						
RCAW-402A	WATER HOLE						
RCAW-403	WATER HOLE						
RCAW-404	WATER HOLE						
RCAW-405	WATER HOLE						
RCAW-405A	WATER HOLE						
RCAW-406	WATER HOLE						
RCAW-407	WATER HOLE						
RCAW-408	WATER HOLE						
RCA-409	-60	300	143.0	112.0	124.0	12.0	1.0
RCA-410	-60	30	155.0	53.0	69.0	16.0	1.4
				122.0	151.0	29.0	1.0
RCA-411	-60	30	159	5.0	8.0	3.0	1.1
				50.0	52.0	2.0	1.0
				66.0	68.0	2.0	1.2
				90.0	95.0	5.0	1.0
				115.0	117.0	2.0	1.1
RCA-412	-60	30	200.0	41.0	46.0	5.0	1.2
				78.0	147.0	69.0	1.1
				190.0	194.0	4.0	1.2
RCA-413	-60	25	161.0	55.0	58.0	3.0	1.3
				75.0	96.0	21.0	1.1
				117.0	129.0	12.0	1.1
				135.0	138.0	3.0	1.0
				146.0	151.0	5.0	1.2
RCA-414	-60	25	107.0	24.0	30.0	6.0	1.0
RCA-415	-60	30	167.0	5.0	27.0	22.0	1.9
				70.0	72.0	2.0	1.8
				131.0	138.0	7.0	1.0
RCA-416	-70	310	51.0	7.0	16.0	9.0	1.0
RCA-417	-60	30	185.0	51.0	54.0	3.0	1.0
				120.0	178.0	58.0	1.0
RCA-418	-60	115	209.0	132.0	142.0	10.0	1.0
				150.0	152.0	2.0	1.0
				155.0	174.0	19.0	1.0

RCA-419	-60	115	218.0	66.0	74.0	8.0	1.0
				134.0	161.0	27.0	1.0
				169.0	171.0	2.0	1.0
				188.0	215.0	27.0	4.2
RCA-420	-60	120	143.0	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
RCA-421	-60	115	179.0	109.0	148.0	39.0	1.0
RCA-422	-60	120	200.0	114.0	146.0	31.0	1.6
				173.0	175.0	2.0	1.2
RCA-423	-60	210	195.0	99.0	102.0	3.0	1.2
				121.0	123.0	2.0	1.0
				158.0	175.0	17.0	1.0
RCA-424	-60	300	160.0	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
RCA-425	-60	120	65.0	BOGGED AND LOST			
RCA-426	-60	120	155.0	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
RCA-427	-60	115	131.0	63.0	68.0	5.0	2.9
				84.0	89.0	5.0	1.3
RCA-428	-60	215	126.0	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
RCA-429	-60	210	119.0	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
RCA-430	-60	35	185.0	36.0	117.0	81.0	1.0
RCA-431	-60	30	139	64.0	71.0	7.0	1.0
				76.0	78.0	2.0	1.0
				84.0	97.0	13.0	1.0
				107.0	127.0	20.0	1.0
				137.0	139 (EOH)	2.0	1.1
RCA-432	-70	250	89.0	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
RCA-433	-60	300	166.0	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
RCA-434	-60	210	173	1.0	4.0	3.0	1.1
				49.0	54.0	5.0	0.9
				63.0	67.0	4.0	0.9
				85.0	116.0	31.0	1.0
RCA-435	-60	300	116.0	81.0	84.0	3.0	1.1
RCA-436	-60	300	143.0	61.0	83.0	22.0	1.0
RCA-437	-60	110	179	47.0	58.0	11.0	1.1
				103.0	113.0	10.0	1.1
RCA-438	-60	110	173	1.0	36.0	35.0	1.0
				63.0	91.0	28.0	1.0
RCA-439	-60	110	177	1.0	10.0	9.0	1.0
				18.0	24.0	6.0	1.0
				90.0	92.0	1.0	1.0
				110.0	124.0	14.0	1.0
				157.0	159.0	2.0	1.0
RCA-440	-60	110	29.0	BOGGED AND ABANDONED			
RCA-441	-60	105	251	69.0	75.0	6.0	1.9
				85.0	89.0	4.0	1.1
				105.0	251(EOH)	146.0	1.6
RCA-442	-61.3	116.6	239.0	209.0	239 (EOH)	30.0	1.0
RCA-443	-60	117.5	173	87.0	92.0	5.0	1.3
				117.0	169.0	52.0	0.9
RCA-444	-60	36	170.0	27.0	128.0	101.0	1.1
RCA-445	-60	305	197.0	42.0	180.0	138.0	1.5
RCA-446	-60	120	119.0	70.0	74.0	4.0	0.9

RCA-447	120.5	-60	137	NO SIGNIFICANT INTERSECTIONS >1G/T GOLD			
RCA-448	-62.3	117.1	155	59.0	61.0	2.0	1.3
				85.0	99.0	14.0	1.0
RCA-449	-60	120	209	78.0	80.0	2.0	2.2
				187.0	190.0	3.0	1.1
				197.0	206.0	9.0	1.0
RCA-450	-60	110	245	41.0	83.0	42.0	1.0
				192.0	194.0	2.0	1.0
				211.0	215.0	4.0	1.0
RCA-451	-63.7	109.8	167	26.0	32.0	6.0	0.9
				56.0	59.0	3.0	1.0
				72.0	74.0	2.0	1.1
				79.0	88.0	9.0	0.9
RCA-452	-62.4	103.3	125	71.0	74.0	3.0	1.0
RCA-453	-61	105	188	144.0	148.0	4.0	1.6
RCA-454	-62	117.2	161	1.0	22.0	21.0	1.0
				49.0	53.0	4.0	1.8
RCA-455	-65	208.2	143	21.0	55.0	34.0	1.1
				93.0	96.0	3.0	1.1

Cut-off 0.2g/t gold, maximum down-hole internal dilution 10m

All intersections are oxide gold, not true widths